

Depression RSR Details

Demographics

Item #	Description	Fraction
1a	How many active pts in the registry are diagnosed with Depression (Depression NOS, Major Depression Recurrent, Major Depression Single Episode, Adjustment Disorder with Depressed Mood, Minor Depression, Chronic (Dysthymia))	sum of # of visits within the report time frame for all active depression pts / active Depression pts
1b	Of those Depression pts, how many have zero visits within the report time frame	Depression pts with 0 visits within the report time frame /active Depression pts
1c	Of those Depression pts, how many have had one to two visits within the report time frame	Depression pts with one or two visits within the report time frame /active Depression pts
1d	Of those Depression pts, how many have had three to five visits within the report time frame	Depression pts with three to five visits within the report time frame /active Depression pts
1e	Of those Depression pts, how many have had six or more visits within the report time frame	Depression pts with six or more visits within the report time frame /active Depression pts
2a	Of those Depression pts, how many are female	female, Depression pts /active Depression pts
2b	Of those Depression pts, how many are male	male, Depression pts /active Depression pts
2c	Of those Depression pts, how many are "Other" sex	other (sex), Depression pts /active Depression pts
2d	Of those Depression pts, how many have no sex specification	# of Depression pts minus the sex counts from above / active Depression pts
3a	Of those Depression pts, how many have no age specification	Depression pts with no age specification /active Depression pts
3b	Of those Depression pts, how many are zero to ten years old	zero to ten year old Depression pts /active Depression pts
3c	Of those Depression pts, how many are eleven to twenty years old	eleven to twenty year old Depression pts /active Depression pts
3d	Of those Depression pts, how many are twenty-one to forty-four years old	twenty-one to forty-four year old Depression pts /active Depression pts
3e	Of those Depression pts, how many are forty-five to sixty-four years old	forty-five to sixty-four year old Depression pts /active Depression pts
3f	Of those Depression pts, how many are age sixty-five or greater	sixty-five years old or greater Depression pts /active Depression pts
4a	Of those Depression pts, how many are Caucasian	Caucasian, Depression pts /active Depression pts
4b	Of those Depression pts, how many are African American	African American, Depression pts /active Depression pts
4c	Of those Depression pts, how many are American Indian	American Indian, Depression pts /active Depression pts
4d	Of those Depression pts, how many are Asian	Asian, Depression pts /active Depression pts
4e	Of those Depression pts, how many are Hispanic	Hispanic, Depression pts /active Depression pts
4f	Of those Depression pts, how many are Pacific Islander	Pacific Islander, Depression pts /active Depression pts
4g	Of those Depression pts, how many are "Other" race	"Other" (race), Depression pts /active Depression pts
4h	Of those Depression pts, how many have no race specification	# of Depression pts minus the race counts from above / active Depression pts
5a	Of those Depression pts, how many have insurance indicated	Depression pts with insurance /active Depression pts
5b	Of those Depression pts, how many have private insurance	Depression pts with private insurance /active Depression pts
5c	Of those Depression pts, how many have Medicaid	Depression pts with Medicaid /active Depression pts
5d	Of those Depression pts, how many have Medicare	Depression pts with Medicare /active Depression pts
5e	Of those Depression pts, how many have Medicaid and Medicare	Depression pts with both Medicaid and Medicare /active Depression pts
5f	Of those Depression pts, how many have Medicare and Private	Depression pts with both Medicare and private insurance /active Depression pts
5g	Of those Depression pts, how many have CHAMPUS/TRICARE	Depression pts with CHAMPUS/TRICARE /active Depression pts
5h	Of those Depression pts, how many have Catastrophic only	Depression pts with catastrophic insurance only /active Depression pts
5i	Of those Depression pts, how many have CHIP	Depression pts with CHIP /active Depression pts
5j	Of those Depression pts, how many have "Other" or some non-standard insurance	Depression pts with "Other" or some non-standard insurance /active Asthma pts
5k	Of those Depression pts, how many are uninsured	uninsured, Depression pts /active Depression pts
6a	Of those Depression pts, how many are migrant or seasonal	migrant or seasonal, Depression pts /active Depression pts
6b	Of those Depression pts, how many are homeless, street, shelter or transitional, doubled up, or other homeless	homeless, street, shelter or transitional, doubled up, or other homeless Depression pts /active Depression pts
6c	Of those Depression pts, how many are refugees	refugee, Depression pts /active Depression pts
7a	Of those Depression pts, how many are currently diagnosed with MDD Recurrent	pts with MDD Recurrent /active Depression pts
7b	Of those Depression pts, how many are currently diagnosed with MDD Single Episode	pts with MDD Single Episode /active Depression pts
7c	Of those Depression pts, how many are currently diagnosed with Chronic (Dysthymia)	pts with Chronic (Dysthymia) /active Depression pts
7d	Of those Depression pts, how many are currently diagnosed with Adjustment Disorder with Depressed Mood	pts with Adjustment Disorder with Depressed Mood /active Depression pts
7e	Of those Depression pts, how many are currently diagnosed with Minor Depression	pts with Minor Depression /active Depression pts
7f	Of those Depression pts, how many are currently diagnosed with Depression, NOS	pts with Depression, NOS /active Depression pts
7g	Of those Depression pts, how many are currently diagnosed with MDD Recurrent, MDD Single Episode, OR [Boolean OR] Dysthymia (Chronic depression) [Boolean OR]	pts currently diagnosed with MDD Recurrent, MDD Single Episode, OR [Boolean OR] Dysthymia (Chronic depression) /active Depression pts

7h	Of those Depression pts, how many are currently diagnosed with Minor depression, depression NOS, OR [Boolean OR] Adjustment Disorder with Depressed Mood	pts currently diagnosed with Minor depression, depression NOS, OR [Boolean OR] Adjustment Disorder with Depressed Mood /active Depression pts
7i	Of those Depression pts, how many have been diagnosed with MDD Recurrent, MDD Single Episode, OR [Boolean OR] Dysthymia (Chronic depression) for at least 6 months	pts currently diagnosed with MDD Recurrent, MDD Single Episode, OR [Boolean OR] Dysthymia (Chronic depression) for at least 6 months /active Depression pts
7j	Of those Depression pts, how many have CSD (Clinically significant depression)	Depression pts with CSD /active Depression pts
7k	Of those Depression pts, how many have CSD (New Episode PHQ>=10 for 1+week)	Depression pts with CSD (New Episode PHQ>=10 for 1+week) /active Depression pts with CSD
7l	Of those Depression pts, how many have CSD (New Episode PHQ>=10 for 4+weeks)	Depression pts with CSD (New Episode PHQ>=10 for 4+weeks) /active Depression pts with CSD
7m	Of those Depression pts, how many have CSD (New Episode PHQ>=10 for 4+months)	Depression pts with CSD (New Episode PHQ>=10 for 4+months) /active Depression pts with CSD
Visit Information		
Item #	Description	Fraction
8a	Of those Depression pts, how many encounters, within the report time frame, have been office visits	number of office visits for Depression pts within the report time frame /total Depression pt encounters within the report time frame
8b	Of those Depression pts, how many encounters, within the report time frame, have been planned office visits	number of planned office visits for Depression pts within the report time frame /total Depression pt encounters within the report time frame
8c	Of those Depression pts, how many encounters, within the report time frame, have been Acute office visits	number of Acute office visits for Depression pts within the report time frame /total Depression pt encounters within the report time frame
8d	Of those Depression pts, how many encounters, within the report time frame, have been phone encounters	number of phone encounters for Depression pts within the report time frame /total Depression pt encounters within the report time frame
8e	Of those Depression pts, how many encounters, within the report time frame, have been email encounters	number of email encounters for Depression pts within the report time frame /total Depression pt encounters within the report time frame
8f	Of those Depression pts, how many encounters, within the report time frame, have been group encounters	number of group encounters for Depression pts within the report time frame /total Depression pt encounters within the report time frame
8g	Of those Depression pts, how many encounters, within the report time frame, have been other types of encounters . This will include any encounter types the clinic has added, as well as Data Imports	number of any other encounter types (not mentioned above) for Depression pts within the report time frame /total Depression pt encounters within the report time frame
9a	Of those Depression pts, how many are currently prescribed SSRI	Depression pts who are currently prescribed SSRI /active Depression pts
9b	Of those Depression pts, how many are currently prescribed Tricyclic	Depression pts who are currently prescribed Tricyclic /active Depression pts
9c	Of those Depression pts, how many are currently prescribed Mood Stabilizer	Depression pts who are currently prescribed Mood Stabilizer /active Depression pts
9d	Of those Depression pts, how many are currently prescribed Sed/Hyp/Benzo	Depression pts who are currently prescribed Sed/Hyp/Benzo /active Depression pts
9e	Of those Depression pts, how many are currently prescribed Other Antidepressants	Depression pts who are currently prescribed Other Antidepressants /active Depression pts
9f	Of those Depression pts, how many are currently prescribed Antipsychotics	Depression pts who are currently prescribed Antipsychotics /active Depression pts
9g	Of those Depression pts, how many are currently prescribed Beta Blockers	Depression pts who are currently prescribed Beta Blockers /active Depression pts
9h	Of those Depression pts, how many are currently diagnosed with Major Depression (single or recurrent) or Dysthymia and are currently prescribed Antidepressants (Antidepressants include Antidepressants, Tricyclics, SSRI's, and Other Antidepressants)	Depression pts who are currently diagnosed with Major Depression (single or recurrent) or Dysthymia and are currently prescribed Antidepressants (Antidepressants include Anti-depressants, Tricyclics, SSRI's, and Other Antidepressants) /active Depression pts who are currently diagnosed with Major Depression (single or recurrent) or Dysthymia
9i	Of those Depression pts, how many are currently diagnosed with Major Depression (single or recurrent) or Dysthymia (diagnosed at least six months ago) and are currently prescribed Antidepressants (Prescribed at least six months ago) (Antidepressants include Anti-depressants, Tricyclics, SSRI's, and Other Antidepressants)	Depression pts who are currently diagnosed with Major Depression (single or recurrent) or Dysthymia (diagnosed at least six months ago) and are currently prescribed Antidepressants (Prescribed at least six months ago) (Antidepressants include Anti-depressants, Tricyclics, SSRI's, and Other Antidepressants) /active Depression pts who are currently diagnosed with Major Depression (single or recurrent) or Dysthymia (diagnosed at least six months prior to the report through date)
9j	Of those Depression pts, how many are currently diagnosed with Depression NOS, Minor Depression, or Adjustment Disorder and who have not had a New Episode PHQ or their last New Episode PHQ was less than 10 and are not currently diagnosed with Major depression or dysthymia and are currently NOT prescribed Antidepressants (Antidepressants include Anti-depressants, Tricyclics, SSRI's, and Other Antidepressants)	Depression pts who are currently diagnosed with Depression NOS, Minor Depression, or Adjustment Disorder and who have not had a New Episode PHQ or their last New Episode PHQ was less than 10 and are not currently diagnosed with Major depression or dysthymia and are currently NOT prescribed Antidepressants (Antidepressants include Anti-depressants, Tricyclics, SSRI's, and Other Antidepressants)/active Depression pts who are currently diagnosed with Depression NOS, Minor Depression, or Adjustment Disorder (and not currently diagnosed with Major depression or dysthymia)

10a	Of those Depression pts, how many have an Alcohol/Drug Abuse documented as current (in Risk Factors/Behaviors/Alcohol Abuse, Drug Abuse (other), or Drug Use (IV))	Depression pts who have an Alcohol/Drug Abuse documented as current (in Risk Factors/Behaviors/Alcohol Abuse, Drug Abuse (other), or Drug Use (IV)) /active Depression pts
10b	Of those Depression pts, how many are currently diagnosed with Anxiety	Depression pts who are currently diagnosed with Anxiety /active Depression pts
10c	Of those Depression pts, how many are currently diagnosed with Chronic Pain	Depression pts who are currently diagnosed with Chronic Pain /active Depression pts
10d	Of those Depression pts, how many have a Domestic Violence date documented (in Risk Factors/Family History/Domestic Violence)	Depression pts who have a Domestic Violence date documented (in Risk Factors/Family History/Domestic Violence) /active Depression pts
10e	Of those Depression pts, how many have a Sexual Abuse date documented (in Risk Factors/Family History/Sexual Abuse)	Depression pts who have a Sexual Abuse date documented (in Risk Factors/Family History/Sexual Abuse) /active Depression pts
10f	Of those Depression pts, how many have a Physical Abuse date document (in Risk Factors/Family History/Physical Abuse)	Depression pts who have a Physical Abuse date document (in Risk Factors/Family History/Physical Abuse) /active Depression pts
10g	Of those Depression pts, how many have Tobacco use status documented (any value, current, past, unknown, never) within the report time frame (in Risk Factors/Behaviors)	Depression pts who have Tobacco use status documented (any value, current, past, unknown, never) within the report time frame (Tobacco use, item in Risk Factors) /active Depression pts
10h	Of those Depression pts with Tobacco use documented within the report time frame, how many have current Tobacco use (item in Risk Factors)	Depression pts who have current Tobacco use /active Depression pts with tobacco use documented
10i	Of those Depression pts, how many have Exercise documented (any value, 0-7) within the report time frame (Exercise wk, item in Other Measures)	Depression pts who have Exercise documented (any value, 0-7) within the report time frame (Exercise wk, item in Other Measure) /active Depression pts
10j	Of those Depression pts, how many have Physical Activity of at least 3 times per week documented within the report time frame	Depression pts who have Physical Activity documented at least three times a week within the report time frame/active Depression pts with Physical Activity documented within the report time frame
11a	Of those Depression pts, how many have a Mental Health consult (a Consults in Education item) documented within the report time frame	Depression pts with a Mental Health consult (a Consults and Education item)documented within the report time frame /active Depression pts
11b	Of those Depression pts, how many have Alcohol/Drug Treatment (Consults and Education item) documented within the report time frame	Depression pts with Alcohol/Drug Treatment documented within the report time frame /active Depression pts
11c	Of those Depression pts, how many have a Self Management Goal (=Self-Management Goal Setting is an item in Cons/Edu) documented within the report time frame	Depression pts with a Self Management Goal documented within the report time frame /active Depression pts
11d	Of those Depression pts, how many tobacco users have had Advise Quit Tobacco within the report time frame	Depression pts who are current tobacco users with Advise Quit Tobacco within the report time frame /active Depression pts who are current tobacco users
11e	Of those Depression pts, how many have Inpatient Psych Treatment ('InpatPsych Tx' is the item in Cons/Edu) documented within the report time frame	Depression pts with Inpatient Psych Treatment documented within the report time frame /active Depression pts
11f	Of those Depression pts how many are CSD patients (having New Episode PHQ within report time frame) and who were on an antidepressant (Antidepressants include Anti-depressants, Tricyclics, SSRI's, and Other Antidepressants) or in psychotherapy (items are psychotherapy, psychotherapy visit (hidden item), mental health) within one month of last New Episode PHQ. The patient could have been on antidepressants and/or in psychotherapy before or any time within 31 days after the last New Episode PHQ.	CSD patients (having New Episode PHQ within report time frame) and who were on an antidepressant (Antidepressants include Anti-depressants, Tricyclics, SSRI's, and Other Antidepressants) or in psychotherapy (items are psychotherapy, psychotherapy visit, Psychiatrist, mental health) within one month of last New Episode PHQ. The patient could have been on antidepressants and/or in psychotherapy before or any time within 31 days after the last New Episode PHQ / all CSD patients having New Episode PHQ within report time frame
12a	Of those Depression pts, how many have a New Episode PHQ	Depression pts with a New Episode PHQ /active Depression pts
12b	Of those Depression pts, with a New Episode PHQ , how many had a score of twenty or greater on their most recent New Episode PHQ	Depression pts with a New Episode PHQ of twenty or greater on their most recent New Episode PHQ /active Depression pts with a New Episode PHQ
12c	Of those Depression pts, with a New Episode PHQ , how many had a score of fifteen to nineteen on their most recent New Episode PHQ	Depression pts with a New Episode PHQ of fifteen to nineteen on their most recent New Episode PHQ /active Depression pts with a New Episode PHQ
12d	Of those Depression pts, with a New Episode PHQ , how many had a score of ten to fourteen on their most recent New Episode PHQ	Depression pts with a New Episode PHQ of ten to fourteen on their most recent New Episode PHQ /active Depression pts with a New Episode PHQ
12e	Of those Depression pts, with a New Episode PHQ , how many had a score of five to nine on their most recent New Episode PHQ	Depression pts with a New Episode PHQ of five to nine on their most recent New Episode PHQ /active Depression pts with a New Episode PHQ
12f	Of those Depression pts, with a New Episode PHQ , how many had a score of zero to four on their most recent New Episode PHQ	Depression pts with a New Episode PHQ of zero to four on their most recent New Episode PHQ /active Depression pts with a New Episode PHQ
13a	Of those Depression patients with CSD, how many have had their last New Episode PHQ within the report time frame.	Of those Depression patients with CSD, how many have had their last New Episode PHQ within the report time frame/ All CSD patients.
Test/Data Information		

16f	Of those Depression pts with CSD and a Current PHQ (at least one day after their last New Episode PHQ), (Both the NE PHQ and the Current PHQ have to be within the report time frame), how many scored less than five on the last Current PHQ (at least one day after their last New Episode PHQ)	Depression pts with a score of less than five on their most recent Current PHQ (at least one day after their last New Episode PHQ) (Both the NE PHQ and the Current PHQ have to be within the report time frame) / active Depression pts, with CSD and have a Current PHQ (at least one day after their last New Episode PHQ) within the report time frame (Both the NE PHQ and the Current PHQ have to be within the report time frame)
16g	active Depression pts with CSD, with New Episode PHQ 4 months ago or more and a Current PHQ within the report time frame. (Both the NE PHQ and the Current PHQ have to be within the report time frame)	active Depression pts with CSD, with New Episode PHQ 4 months ago or more and a Current PHQ within the report time frame (Both the NE PHQ and the Current PHQ have to be within the report time frame) / active Depression pts, with CSD and have a Current PHQ (at least one day after their last New Episode PHQ) within the report time frame (Both the NE PHQ and the Current PHQ have to be within the report time frame)
16h	Of those Depression pts with CSD, how many scored less than five on their most recent Current PHQ (within the report time frame), at least four months after the most recent New Episode PHQ (Both the NE PHQ and the Current PHQ have to be within the report time frame)	Depression pts with CSD and a score of less than five on their most recent Current PHQ (within the report time frame), at least four months after their most recent New Episode PHQ (Both the NE PHQ and the Current PHQ have to be within the report time frame) / active Depression pts with CSD, with New Episode PHQ 4 months ago or more and both the NE PHQ and the Current PHQ are within the report time frame (16g)
17a	Of those Depression pts, how many had a New Episode PHQ before the latest Current PHQ and both their latest NE PHQ and the latest Current PHQ is within the report time frame	Of those Depression pts, how many had a New Episode PHQ before the latest Current PHQ and both the NE PHQ and the latest Current PHQ is within the report time frame / active Depression pts
17b	Of those patients above, using the most recent values, what was the average change in PHQ scores ((New Episode PHQ - Current) / New Episode PHQ)*100 (only for those Depression pts with their last NE PHQ and Current PHQ within the report time frame)	n = Depression pts who had a New Episode PHQ at some time in the past and before the latest Current PHQ and the latest Current PHQ is within the report time frame (all PHQs without a qualifier in front)
17c	Of those Depression pts, with a decrease in PHQ scores ((New Episode - Current) / New Episode)*100, how many had a fifty percent or greater decrease (only for those Depression pts with their last NE PHQ and Current PHQ within the report time frame)	Depression pts with a fifty percent or greater decrease in PHQ scores ((New Episode - Current) / New Episode)*100 (only for those Depression pts with a Current PHQ within the report time frame) / 17.a.
17d	Of those Depression pts, with a decrease in PHQ scores ((New Episode - Current) / New Episode)*100, how many had a fifty percent or greater decrease and whose last New Episode PHQ was 10 or greater [CSD] (only for those Depression pts with their last NE PHQ and Current PHQ within the report time frame)	Depression pts with CSD, with a fifty percent or greater decrease in PHQ scores ((New Episode - Current) / New Episode)*100 within the report time frame / All active CSD Depression pts
17e	Of those Depression pts, with a decrease in PHQ scores ((New Episode - Current) / New Episode)*100, how many had a 25 to 49 percent decrease (only for those Depression pts with their last NE PHQ and Current PHQ within the report time frame)	Depression pts with a 25 to 49 percent decrease in PHQ scores ((New Episode - Current) / New Episode)*100 (only for those Depression pts with a Current PHQ within the report time frame) / 17.a.
17f	Of those Depression pts, with a decrease in PHQ scores ((New Episode - Current) / New Episode)*100, how many had a 0 to 24 percent decrease (only for those Depression pts with their last NE PHQ and Current PHQ within the report time frame)	Depression pts with a 0 to 24 percent decrease in PHQ scores ((New Episode - Current) / New Episode)*100 (only for those Depression pts with a Current PHQ within the report time frame) / 17.a.
17g	Of those Depression pts, those with an increase in PHQ scores ((New Episode - Current) / New Episode)*100 (only for those Depression pts with their last NE PHQ and Current PHQ within the report time frame)	Depression pts with an increase in PHQ scores ((New Episode - Current) / New Episode)*100 (only for those Depression pts with a Current PHQ within the report time frame) / 17.a.
17h	Of those Depression pts, with a decrease in PHQ scores ((New Episode - Current) / New Episode)*100, how many had a fifty percent or greater decrease and whose last New Episode PHQ was 10 or greater [CSD] and was at least 4 months before the through date of the report and the latest Current PHQ is at least 4 months after the New Episode PHQ (only for those Depression pts with both their latest NE PHQ and their latest Current PHQ within the report time frame)	Depression pts, with a decrease in PHQ scores ((New Episode - Current) / New Episode)*100, how many had a fifty percent or greater decrease and whose last New Episode PHQ was 10 or greater [CSD] and was at least 4 months before the through date of the report and the latest Current PHQ is at least 4 months after the New Episode PHQ (only for those Depression pts with both their latest NE PHQ and their latest Current PHQ within the report time frame) / active Depression pts with CSD, with New Episode PHQ 4 months ago or more and both their latest NE PHQ and their latest Current PHQ within the report time frame
17i	patients with CSD* with a Current PHQ dated later than the New Episode PHQ, but within 6 months (180 days) of the New Episode PHQ and only for those Depression pts with their last NE PHQ and Current PHQ within the report time frame	patients with CSD* with a Current PHQ dated later than the New Episode PHQ, but within 6 months (180 days) of the New Episode PHQ and the last New Episode PHQ is within the report time frame) / Depression pts who have a New Episode PHQ before the latest Current PHQ and both the NE PHQ and the latest Current PHQ is within the report time frame
17j	patients with CSD* and a 5 point or greater reduction in PHQ (comparing last New Episode PHQ** to the most recent Current PHQ). The Current PHQ must be dated later than the New Episode PHQ, but within 6 months (180 days) of the New Episode PHQ and only for those Depression pts with their last NE PHQ and Current PHQ within the report time frame	patients with CSD* and a 5 point or greater reduction in PHQ (comparing last New Episode PHQ** to the most recent Current PHQ). The Current PHQ must be dated later than the New Episode PHQ, but within 6 months (180 days) of the New Episode PHQ and the last New Episode PHQ is within the report time frame) / 17.1.

18a	For active Depression pts, how many have had a New Episode Function > 0 and a Current Function (with a later date than the New Episode Function) where both the NE Function and the Current Function are within the report time frame	Depression pts who have had a New Episode Function > 0 and a Current Function result after the New Episode Function result and where both the NE Function and the Current Function are within the report time frame / active Depression pts
18b	Of those Depression pts, how many have shown an improvement in Function. This means their last New Episode Function had a score>0 and their last Current Function value is less than the New Episode Function value. Date of Current Function must be later than the date of the last New Episode Function, and both the NE Function and the Current Function are within the report time frame	Of those Depression pts, how many have shown an improvement in Function. This means their last New Episode Function had a score>0 and their last Current Function value is less than the New Episode Function value. Date of Current Function must be later than the date of the last New Episode Function, and both the NE Function and the Current Function are within the report time frame / active depression pts who have a New Episode Function score >0 and a Current Function, later than the New Episode Function (both the NE Function and the Current Function are within the report time frame)
18c	Of those Depression pts, how many have no change in function. This means their last New Episode Function had a score>0 and their last Current Function had the same score as the New Episode Function. Date of Current Function must be later than the date of the last New Episode Function and both the NE Function and the Current Function are within the report time frame	Of those Depression pts, how many have no change in function. This means their last New Episode Function had a score>0 and their last Current Function had the same score as the New Episode Function. Date of Current Function must be later than the date of the last New Episode Function and both the NE Function and the Current Function are within the report time frame / active depression pts who have a New Episode Function score >0 and a Current Function, later than the New Episode Function (both the NE Function and the Current Function are within the report time frame)
18d	Of those Depression pts, how many have shown a decline in Function. This means their last New Episode Function had a score>0 and their last Current Function is greater than the New Episode Function. Date of Current Function must be later than the date of the last New Episode Function and both the NE Function and the Current Function are within the report time frame	Of those Depression pts, how many have shown a decline in Function. This means their last New Episode Function had a score>0 and their last Current Function is greater than the New Episode Function. Date of Current Function must be later than the date of the last New Episode Function and both the NE Function and the Current Function are within the report time frame / active depression pts who have a New Episode Function score >0 and a Current Function, later than the New Episode Function (both the NE Function and the Current Function are within the report time frame)
19a	Of those Depression pts with CSD, how many have had their only CSD follow-up (CSD follow-up is an item in Cons/Edu) after their most recent New Episode PHQ and between 1 and 6 days (inclusive) after their most recent New Episode PHQ [Note: CSD FU on the same day as the New Episode PHQ should be ignored.] (Both the NE PHQ and the CSD FU must be within the report time frame)	Depression pts with CSD and with their only CSD FU after their most recent New Episode PHQ and that CSD FU between 1 and 6 days (inclusive) after their most recent New Episode PHQ [Note: CSD FU on the same day as the New Episode PHQ should be ignored] (Both the NE PHQ and the CSD FU must be within the report time frame) /active Depression pts with CSD (the latest NE PHQ must be within the report time frame)
19b	Of those Depression pts with CSD, how many have had a CSD follow-up (CSD follow-up is an item in Cons/Edu) between 7 to 21 days (inclusive) after their most recent New Episode PHQ (Both the NE PHQ and the CSD FU must be within the report time frame)	Depression pts with CSD and a CSD FU between 7 to 21 days (inclusive) after the New Episode PHQ (Both the NE PHQ and the CSD FU must be within the report time frame) /active Depression pts with CSD (the latest NE PHQ must be within the report time frame)
19c	Of those Depression pts with CSD, how many have had their only CSD follow-up (CSD follow-up is an item in Cons/Edu) after their most recent New Episode PHQ and that CSD Follow-up between 22 to 35 days (inclusive) after their most recent New Episode PHQ. (Both the NE PHQ and the CSD FU must be within the report time frame)	Depression pts with CSD and with their only CSD FU after their most recent New Episode PHQ and that CSD FU between 22 to 35 days (inclusive) after their most recent New Episode PHQ /active Depression pts with CSD (the latest NE PHQ must be within the report time frame)
19d	Of those Depression pts with CSD, how many have had their next CSD follow-up (CSD follow-up is an item in Cons/Edu) later than 35 days after their most recent New Episode PHQ. This implies that there was not an earlier CSD FU, within 1 to 35 days after their most recent New Episode PHQ. (Both the NE PHQ and the CSD FU must be within the report time frame)	Depression pts with CSD and their next CSD FU later than 35 days after their most recent New Episode PHQ. This implies that there was not an earlier CSD FU, within 1 to 35 days after their most recent New Episode PHQ./active Depression pts with CSD (the latest NE PHQ must be within the report time frame)
19e	Of those Depression pts with CSD, how many have never had a CSD follow-up (CSD follow-up is an item in Cons/Edu) after their most recent New Episode PHQ, [Note: CSD FU on the same day as the New Episode PHQ should be ignored.] (the latest NE PHQ must be within the report time frame)	Of those Depression pts with CSD, how many have never had a CSD follow-up (CSD follow-up is an item in Cons/Edu) after their most recent New Episode PHQ, [Note: CSD FU on the same day as the New Episode PHQ should be ignored.] (the latest NE PHQ must be within the report time frame) /active Depression pts with CSD (the latest NE PHQ must be within the report time frame)
20a	Of those Depression pts with CSD, how many have had their only Current PHQ after their most recent New Episode PHQ and that Current PHQ between 1 and 27 days (inclusive) after their most recent New Episode PHQ [Note: a Current PHQ on the same day as the New Episode PHQ should be ignored.] (only for those Depression pts with their last NE PHQ and Current PHQ within the report time frame)	Of those Depression pts with CSD, how many have had their only Current PHQ after their most recent New Episode PHQ and that Current PHQ between 1 and 27 days (inclusive) after their most recent New Episode PHQ [Note: a Current PHQ on the same day as the New Episode PHQ should be ignored.] (only for those Depression pts with their last NE PHQ and Current PHQ within the report time frame) /active Depression pts with CSD and their last NE PHQ is within the report time frame

20b	Of those Depression pts with CSD, how many have had a Current PHQ within 28 to 56 days after their most recent New Episode PHQ (only for those Depression pts with their last NE PHQ and Current PHQ within the report time frame)	Of those Depression pts with CSD, how many have had a Current PHQ within 28 to 56 days after their most recent New Episode PHQ (only for those Depression pts with their last NE PHQ and Current PHQ within the report time frame) /active Depression pts with CSD and their last NE PHQ is within the report time frame
20c	Of those Depression pts with CSD, how many have had their next Current PHQ more than 56 days after their most recent New Episode PHQ (only for those Depression pts with their last NE PHQ and Current PHQ within the report time frame)	Of those Depression pts with CSD, how many have had their next Current PHQ more than 56 days after their most recent New Episode PHQ (only for those Depression pts with their last NE PHQ and Current PHQ within the report time frame) /active Depression pts with CSD and their last NE PHQ is within the report time frame
20d	Of those Depression pts with CSD, how many have never had a Current PHQ (after the last New Episode PHQ) (only for those Depression pts with their last NE PHQ and Current PHQ within the report time frame)	Of those Depression pts with CSD, how many have never had a Current PHQ (after the last New Episode PHQ) (only for those Depression pts with their last NE PHQ and Current PHQ within the report time frame) /active Depression pts with CSD and their last NE PHQ is within the report time frame
21a	Of active Depression pts, how many have had a New Episode PHQ or Current PHQ score within six months of the report thru date (180 days)	Depression pts with a New Episode PHQ or Current PHQ score within six months of the report thru date (180 days) /active Depression pts
21b	Of those Depression pts, how many have had a New Episode PHQ or Current PHQ score more than six months prior (and not one since) to the report thru date	Depression pts with a New Episode PHQ or Current PHQ score more than six months prior to the report thru date (and not one since) /active Depression pts
21c	Of those Depression pts, how many have never had a New Episode or Current PHQ score	Depression pts with no New Episode or Current PHQ score /active Depression pts
22a	Of those Depression pts, how many have had a TSH test within the report time frame	Depression pts with a TSH test within the report time frame /active Depression pts
Notes		
#17b NOTE that all depression pts with qualifyers in fron tof either the NE PHQ or Current PHQ are left out of the calculations in section 16.		
#17c [Note: a Current PHQ on the same day as the New Episode PHQ should be ignored.]		
#17d [Note: a Current PHQ on the same day as the New Episode PHQ should be ignored.]		
#17e [Note: a Current PHQ on the same day as the New Episode PHQ should be ignored.]		
#17f [Note: a Current PHQ on the same day as the New Episode PHQ should be ignored.]		
#17g [Note: a Current PHQ on the same day as the New Episode PHQ should be ignored.]		
#17h [Note: a Current PHQ on the same day as the New Episode PHQ should be ignored.]		
#18a [Note: a Current PHQ on the same day as the New Episode PHQ should be ignored.]		
#18b NOTE that all depression pts with qualifyers in fron tof either the NE Function or Current Function are left out of the calculations in section 15.		
#18c [Note: a Current Function on the same day as the New Episode Function should be ignored.]		
#18d [Note: a Current Function on the same day as the New Episode Function should be ignored.]		
#19a [Note: a Current Function on the same day as the New Episode Function should be ignored.]		
#20d [Note: a Current PHQ on the same day as the New Episode PHQ or less than 28 days after should be ignored.]		